



INNOVATIVE
KITCHEN
SOLUTIONS

ONE DESTINATION

KUTCHiNA

PREMIUM PRODUCT CATALOGUE

INDEX

CHIMNEYS	1 - 8
<hr/>	
HOBBS	9
<hr/>	
DISHWASHERS	10-12
<hr/>	
BUILT-IN AND MICROWAVE OVENS	13-15
<hr/>	
REFRIGERATOR	16-17
<hr/>	
BUILT-IN INDUCTION	18
<hr/>	
BUILT-IN BARBEQUE	19
<hr/>	
BUILT-IN DEEP FRYER	20
<hr/>	
WATER HEALTHIFIERS	21-24

CHIMNEYS

SELF-CLEANING CHIMNEYS
POWERED BY AI



After pioneering India's first autoclean chimney, Kutchina now presents a range of AI powered chimneys that understand customers' cooking cycles to set self-cleaning schedules, without the touch of a button. That's smart, convenient and the perfect solution to add value, time and joy into every kitchen.



Touch Free Cleaning

Innovative solution that breaks away from the need of buttons to make cleaning easy and very convenient.



100% Copper Winding Motors

Sturdy machines made with alloy and metal to deliver a chimney that works longer.



Filterless for Great Suction

High suction capacity based with intelligent technology and strong suction power. Kutchina chimney improves aesthetics of your kitchen.



Lifetime Warranty

Guaranteed power and convenience with a lifetime warranty on motors.

MAPLE 60 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 60 cm
Suction (m ³ /h)	: 1200 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Push Button
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L595 X W450 X H510 mm

MAPLE 75 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 75 cm
Suction (m ³ /h)	: 1200 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Push Button
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L750 X W450 X H510 mm

MAPLE 90 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 90 cm
Suction (m ³ /h)	: 1200 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Push Button
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L900 X W450 X H510 mm

ANGELA 60 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 60 cm
Suction (m ³ /h)	: 1400 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch control with Wave sensor
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L600 X W500 X H516 mm

ANGELA 75 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 75 cm
Suction (m ³ /h)	: 1400 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch control with Wave sensor
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L750 X W500 X H516 mm

ANGELA 90 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 90 cm
Suction (m ³ /h)	: 1400 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L900 X W500 X H516 mm

MARVEL 75 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 75 cm
Suction (m ³ /h)	: 1500 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L750 X W445 X H485 mm

MARVEL 90 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 90 cm
Suction (m ³ /h)	: 1500 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 233W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L900 X W445 X H485 mm


ELEGANZA 75 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 75 cm
Suction (m ³ /h)	: 1500 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 1 X Max. 3W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 215W
Total Power (W)	: 298W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L750 X W500 X H570 mm

ELEGANZA 90 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 90 cm
Suction (m ³ /h)	: 1500 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 1 X Max. 3W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 215W
Total Power (W)	: 298W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L900 X W500 X H570 mm

SILVIA 75 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 75 cm
Suction (m ³ /h)	: 1500 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 2 X Max. 1.5W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 200W
Total Power (W)	: 257W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L745 X W340 X H850 mm

MAXIMUS PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 90 cm
Suction (m ³ /h)	: 1600 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 1 X Max. 2W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 180W
Total Power (W)	: 232W
Duct Diameter (mm)	: 160 mm
Product Dimension (mm)	: L896 X W570 X H450 mm

ADORA 90 PREMIUM



TECHNICAL SPECIFICATIONS

Size	: 90 cm
Suction (m ³ /h)	: 1400 ± 50 m ³ /h
Autoclean Type	: Dry, 3rd Generation
Switch Control	: Touch Control with Wave Sensor
Illumination Type	: LED
Illumination Power	: 1 X Max. 10W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 58dB
Motor Power (W)	: 1 X 215W
Total Power (W)	: 305W
Duct Diameter (mm)	: 180 mm
Product Dimension (mm)	: L895 X W318 X H1017 mm

LEO DLX PREMIUM I-AUTO CLEAN



TECHNICAL SPECIFICATIONS

Size	: 60 cm
Suction (m ³ /h)	: 800±50 m ³ /h
Autoclean Type	: Intelligent Auto Clean
Switch Control	: Touch Control
Illumination Type	: LED
Illumination Power	: 1 X Max. 2W
Voltage (V) / Frequency (Hz)	: AC220-240V / 50Hz
Noise Level (dBA)	: 52dB
Motor Power (W)	: 2 X 50W
Total Power (W)	: 202W
Product Dimension (mm)	: L600 X W500 X H140mm

VOGUE DLX I-AUTO CLEAN



TECHNICAL SPECIFICATIONS

Size	: 76 cm
Colour	: White / Black
Suction (m ³ /h)	: 1100 ± 50 m ³ /h
Autoclean Type	: Intelligent Autoclean
Switch Control	: Touch Control
Illumination Type	: LED
Illumination Power	: 1 X Max. 2W
Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Noise Level (dBA)	: 56dB
Motor Power (W)	: 2 X 60W
Total Power (W)	: 284W
Duct Diameter (mm)	: 150 mm
Product Dimension (mm)	: L760 X W560 X H200 mm

LUXEN PREMIUM I-AUTO CLEAN



Size	: 90 cm	Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Suction (m ³ /h)	: 1400 ± 50 m ³ /h	Noise Level (dBA)	: 56dB
Autoclean Type	: Intelligent Autoclean	Motor Power (W)	: 1 X 200W
Switch Control	: Touch Control	Total Power (W)	: 284W
Illumination Type	: LED	Duct Diameter (mm)	: 160 mm
Illumination Power	: 2 X Max. 2W	Product Dimension (mm)	: L900 X W500 X H620 mm


AMORA PREMIUM I-AUTO CLEAN



TECHNICAL SPECIFICATIONS

Size	: 90 cm	Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Suction (m ³ /h)	: 1400 ± 50 m ³ /h	Noise Level (dBA)	: 46dB
Autoclean Type	: Intelligent Autoclean	Motor Power (W)	: 1 X 200W
Switch Control	: Touch Control	Total Power (W)	: 304W
Illumination Type	: LED	Duct Diameter (mm)	: 160 mm
Illumination Power	: 2 X Max. 2W	Product Dimension (mm)	: L900 X W500 X H600 mm

VETRA DLX



TECHNICAL SPECIFICATIONS

Size	: 71 cm	Illumination Power	: 2 X max 3W
Colour	: Brown	Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Suction (m ³ /h)	: 1000 ± 50 m ³ /h	Noise Level (dBA)	: 56dB
Autoclean Type	: Intelligent Autoclean	Total Power (W)	: 326W
Switch Control	: Touch Control	Duct Diameter (mm)	: 150 mm
Illumination Type	: LED	Product Dimension (mm)	: L710 X W500 X H100 mm

SMARTEC DLX



TECHNICAL SPECIFICATIONS

Size	: 76 cm	Illumination Power	: 2 X max 2W
Colour	: Black	Voltage (V) / Frequency (Hz)	: AC 220-240V / 50Hz
Suction (m ³ /h)	: 1250 ± 50 m ³ /h	Noise Level (dBA)	: 56dB
Autoclean Type	: Intelligent Autoclean	Total Power (W)	: 304W
Switch Control	: Touch Control	Motor Power	: 2 X 70W
Illumination Type	: LED	Duct Diameter (mm)	: 150 mm
		Product Dimension (mm)	: L760 X W560 X H180 mm



HOBS

THAT ARE SAFE
TO USE AND
STYLISH TO FLAUNT

Kutchina's ergonomically designed hobs with brass burners are perfectly fit for Indian cooking. They are built with safety features that make cooking an everyday delight.



Aesthetic Designs

Sleek designs, vibrant colors and innovative solutions bring power and elegance to suit evolving customer tastes.



Flexible Use for Both NG and LPG

Kutchina Hob can work on both LPG and NG options. Thus, giving the end user the flexibility of use.



Brass Burners & Metallic Knobs

The long lasting knobs have been ergonomically designed for a longer comfortable experience.



CE Certification

Aesthetic and innovative products that comply with international standards of health, safety and energy efficiency to add convenience and commitment to customers' life.

TABLET 3B



TECHNICAL SPECIFICATIONS

Burner Ring / Cap	:	Brass
Burner Spreader	:	Aluminum
Burner Size	:	110 mm X 1, 90 mm X 1, 70 mm X 1
Burner Power (110 mm) (Kw)	:	3.0Kw
Burner Power (90 mm) (Kw)	:	2.0Kw
Burner Power (70 mm) (Kw)	:	1.5Kw
Ignition (Battery 1.5V)	:	Pulse Ignition
Gas Type	:	Both LPG and NG
Glass	:	8 mm Tempered Glass
Pan Support Type	:	Cast Iron (Matte Finish)
Gas Inlet	:	Rear
Product Dimension	:	L760 X W450 X H30 mm


DISHWASHER

THAT MAXIMISE EASE
AND TIME



Digital Display Interface

Kutchina Dishwashers come equipped with a digital display, which indicates the programme time, error indication & mode.



Delay Function

This function allows the user to set a time when the Dishwasher needs to start its operation.



14 Place Setting

Kutchina Dishwashers come with 14 place settings which means now you will always have that extra space.



A++ Energy Rating

Kutchina Dishwashers boast of A++ energy rating, meaning the product consumes less power, has more efficient washing and drying functions.



Child Lock

The child lock function of your Kutchina Dishwasher prevents accidental programme changes and stops children playing with the controls while the appliance is running.

Kutchina's Dishwashers are energy efficient, offering a 14 place settings menu with a unique delay feature that makes daily chores a clean, easy and flexible choice.

KEN ECO



TECHNICAL SPECIFICATIONS

Installation Type	: Counter Top
Place Setting	: 8
Modes	: 6
Rated Input Voltage	: 230V / 50Hz
Switch Control	: Push Button
Digital Display	: LED Indicator
Child Lock	: N/A
Delay Function	: Max. 8 Hrs
½ Load Function	: N/A
Height Adjustable Tray	: N/A
Noise Level	: 49dB
Error Indication	: N/A
Water Consumption (Annually)	: 2240 L
Power Consumption (Annually)	: 205 Kwh
Cleaning Efficiency	: A
Energy Efficiency	: A++
Product Dimensions	: L550 X W500 X H590 mm
Product Carcass Size	: N/A

KLEANMATE ECO



TECHNICAL SPECIFICATIONS

Installation Type	: Free Standing
Place Setting	: 12
Modes	: 6
Rated Input Voltage	: 230V / 50Hz
Switch Control	: Push Button
Digital Display	: LED Indicator
Child Lock	: Yes
Delay Function	: Max. 9 Hrs
½ Load Function	: Yes
Height Adjustable Tray	: Yes
Noise Level	: 49dB
Error Indication	: N/A
Water Consumption (Annually)	: 3080 L
Power Consumption (Annually)	: 258 Kwh
Cleaning Efficiency	: A
Energy Efficiency	: A++
Product Dimensions	: L600 X W600 X H880 mm
Product Carcass Size	: N/A

KEN DLX



TECHNICAL SPECIFICATIONS

Installation Type	: Semi Built-in
Place Setting	: 12
Modes	: 6
Rated Input Voltage	: 230V / 50Hz
Switch Control	: Push Button
Digital Display	: N/A
Child Lock	: Yes
Delay Function	: Max. 9 Hrs
½ Load Function	: Yes
Height Adjustable Tray	: Yes
Noise Level	: 49dB
Error Indication	: N/A
Water Consumption (Annually)	: 3080 L
Power Consumption (Annually)	: 258 Kwh
Cleaning Efficiency	: A
Energy Efficiency	: A++
Product Dimensions	: L598 X W570 X H815 mm
Product Carcass Size	: L600 X W572 X H847 mm

KLEANMATE EXCEL



TECHNICAL SPECIFICATIONS

Installation Type	: Free Standing
Place Setting	: 14
Modes	: 7
Rated Input Voltage	: 230V / 50Hz
Switch Control	: Push Button
Digital Display	: Yes
Child Lock	: Yes
Delay Function	: Max. 24 Hrs
½ Load Function	: Yes
Height Adjustable Tray	: Yes
Noise Level	: 49dB
Error Indication	: Yes
Water Consumption (Annually)	: 3080 L
Power Consumption (Annually)	: 258 Kwh
Cleaning Efficiency	: A
Energy Efficiency	: A++
Product Dimensions	: L598 X W620 X H845 mm
Product Carcass Size	: N/A

BUILT-IN AND MICROWAVE OVENS

FOR HEALTHY EATING
AND CONVENIENT
COOKING



9 Pre-set Functions

Equipped with 9 Functions – defrost, bottom heat, convectional cooking, convection with fan, radiant grilling, double grilling, double grilling with fan, lamp and convection functions.



Skewer & Universal Pan

The Rotisserie Skewer and Universal Pan feature allows to heat the food evenly while preserving the nutrition of the food.



Security

Child/Safety Lock – to prevent accidental programme changes and to stop children from play with the controls.



Electronic Control Touch Door

Operate conveniently with Touch Opening Door unlike the orthodox push button doors available in the market.



10 Auto-cooking Programmes

Pre-loaded with 10 Indian and European cooking menu options, such as soup, cake, pizza, pasta etc.

The range of built-in ovens and microwaves by Kutchina is a perfect blend of innovative design and technology. The one-touch opening doors, auto-cook programmes with 10 Indian and European dishes offer a delightful, healthy and convenient cooking experience.

DAZZLE



TECHNICAL SPECIFICATIONS

Capacity	: 22 L	Output Power (Microwave)	: 800 W
Rated Input Voltage	: 230V / 50Hz	Grill Power	: 1 Kw
Switch Control	: Mechanical Timer	Convection Power	: N/A
Microwave	: Yes	Auto Cook Function	: 8
Grill	: Yes	Child Lock	: Yes
Convection	: N/A	Cooking Timer	: 95 Minutes
Illumination	: 25 W	Product Dimensions	: L595 X W343.5 X H388 mm
Input Power (Microwave)	: 1250 W	Product Carcass Size	: L560 X W423.5 min X H380 mm

RADIANZ



TECHNICAL SPECIFICATIONS

Capacity	: 25 L	Output Power (Microwave)	: 900 W
Rated Input Voltage	: 230V / 50Hz	Grill Power	: 1.1 Kw
Switch Control	: Feather Touch	Convection Power	: 2250 W
Microwave	: Yes	Auto Cook Function	: 10
Grill	: Yes	Child Lock	: Yes
Convection	: Yes	Cooking Timer	: 95 Minutes
Illumination	: 25 W	Product Dimensions	: L595 X W470 X H388 mm
Input Power (Microwave)	: 1450 W	Product Carcass Size	: L560 X W550 min X H380 mm

IMPRESSO



TECHNICAL SPECIFICATIONS

Capacity	: 65 L	Oven Power consumption	: 2250 W
Rated Input Voltage	: 230V / 50Hz	Rotisserie	: Yes
Switch Control	: Mechanical Timer	Child Lock	: N/A
Cooking Function	: 9	Cooking Timer	: 2 Hrs
Grill Power Consumption	: 2.2 Kw	Product Dimensions	: L595 X W575 X H595 mm
Illumination	: 25 W	Product Carcass Size	: L560 X W577 X H600 mm

BLAZE DLX



TECHNICAL SPECIFICATIONS

Capacity	: 70 L	Oven Power Consumption	: 2250 W
Rated Input Voltage	: 230V - 50Hz	Rotisserie	: Yes
Switch Control	: Feather Touch	Child Lock	: Yes
Cooking Function	: 9	Cooking Timer	: 9 Hrs
Grill Power Consumption	: 2.2 Kw	Product Dimensions	: L595 X W573 X H595 mm
Illumination	: 25 W	Product Carcass Size	: L560 X W577 X H600 mm

BUILT-IN REFRIGERATOR

THAT OPEN UP TO WARMTH AND JOY



Sleek, functional and energy efficient, Kutchina's built-in refrigerators pack in more space, delightful designs and functions to enhance the joys of life.



TECHNICAL SPECIFICATIONS

Net Storage	: 225 Lts.	Power Cut Safe Time (Hrs)	: 6
Gross Storage	: 232 Lts.	Adjustable Thermostat	: Yes
Gross Volume	: 237 Lts.	Interior Light	: LED
Rated Input Voltage	: 230V / 50Hz	Ice Cube Tray	: Yes
Frost Free Operation	: Yes	Door Racks	: Transparent
Hinge Type	: Slider Hinge	Salad Drawer	: 2 Half Depth
Reversible Doors	: Yes	Number of Shelves	: 3
CFC/HFC Free	: Yes	Bottle Shelf	: 1
Energy Rating	: A+/A	Door Storage	: 3
Star Rating	: 2	Egg Trays	: 1
Defrost Function	: Automatic/Frost Free	Product Dimension	: L540 X W540 X H1800 mm
Noise Level dB (A)	: 42dB	Product Carcass Size	: L600 X W600 X H1850 mm

BUILT-IN INDUCTION

TOPS TO JUGGLE TASTES,
SAFELY AND EASILY



Kutchina's built-in inductions have the power of not one but two boosters and a vitro-ceram glass base for extra durability

COSMO

TECHNICAL SPECIFICATIONS



Booster	:	2 Boosters
Power Stage Setting	:	9 Levels
Timer (min)	:	99 Mins
Residual Heat Indicator	:	"H"
Voltage	:	AC220-240V
Frequency	:	50Hz
Touch Control	:	Yes
Total Power	:	3.5Kw
Front Left Zone	:	160 mm / 1500W
Rear Left Zone	:	180 mm / 2000W
Heating Element	:	Induction
Glass	:	Vitro-ceramic
Colour	:	Black
Product Dimensions	:	L295 X W520 X H65 mm
Cut-Size	:	L275 X W495 X H105 mm

VEDICAA EXCEL PLUS PREMIUM



TECHNICAL SPECIFICATIONS

Storage Tank Capacity	: 7L	Indicator	: LED Indicator
Membrane Type	: TFC	Water Inlet Pressure	: $\geq 0.2 \text{ kg/cm}^2$
Purification Stages	: II	Product Dimension	: 350x250x475 mm
TDS Reduction	: 90-95%	Installation Type	: Wall Mounting
TDS Controller	: Yes	AC Mains	: 230V - 50Hz
Anti-Oxidant + Mineral	: Yes	Activated Copper Candle/	: Yes
Production Capacity	: 7.8 - 15L/Hr	Backwash/Autoclean	
Purification Type	: RO + UV + UF		

VEDICAA DLX PLUS PREMIUM



TECHNICAL SPECIFICATIONS

Storage Tank Capacity	: 7L	Indicator	: Digital Display
Membrane Type	: TFC	Water Inlet Pressure	: $\geq 0.2 \text{ kg/cm}^2$
Purification Stages	: II	Product Dimension	: 350x250x475 mm
TDS Reduction	: 90-95%	Installation Type	: Wall Mounting
TDS Controller	: Yes	AC Mains	: 230V - 50Hz
Anti-Oxidant + Mineral	: Yes	Activated Copper Candle/	: Yes
Production Capacity	: 7.8 - 15L/Hr	Backwash/Autoclean	
Purification Type	: RO + UV + UF		

PURICA UV PREMIUM



Installation Type	:	Wall Mounting	Membrane Type	:	N/A
Storage Tank Capacity	:	5L	Water Inlet Pressure	:	$\geq 0.2 \text{ kg/cm}^2$
Purification Stages	:	5	Production Capacity	:	700 ml - 1L/Min
Purification Type	:	UV	Indicator	:	N/A
Power Consumption	:	8W	Product Dimension	:	L390 X W290 X H425 mm

PURICA ECO PREMIUM



TECHNICAL SPECIFICATIONS

Installation Type	:	Wall Mounting	Water Inlet Pressure	:	$\geq 0.2 \text{ kg/cm}^2$
Storage Tank Capacity	:	5L	TDS Reduction	:	90-95%
Purification Stages	:	8	TDS Controller	:	N/A
Purification Type	:	RO	Production Capacity	:	7.8 - 15 L/h
Power Consumption	:	15W	Indicator	:	N/A
Membrane Type	:	TFC	Product Dimension	:	L390 X W290 X H425 mm

ZONE	SERVICE CENTRE	ADDRESS
EAST	Bhubaneswar	Plot No. 537 (East), at P.O. – Shahid Nagar, Bhubaneswar - 751007
	Sambalpur	Station Road, Cheruapada, Near Railway under-bridge, P.O. - Modipara, Sambalpur-768002, Odisha
	Balasore	Plot No. - 337/982, Sovarampur, P.O. - Sahadevkhuntha, Balasore - 756001, Odisha
	Brahmapur	Bijipur, Gopinath Nagar 2nd Lane, Behind Sunaribandha, P.S. Town Berhampur, Dist.- Ganjam, Pin code -760001, Odisha
	Jamshedpur	H.No-139, Raj Palace, 1st Floor, Lane No - 5, Kasidih (Opp. Gangour Sweet), P.O. - Sakchi, P.S. - Sakchi, Jamshedpur-831001
	Ranchi	Ashoke Nagar, Road No.5, Opposite IGNOU University, Ranchi- 834004
	Dhanbad	Ambey Villa Appt. - Ground Floor, He School Road Visitipara Hirapur,Dhanbad, Jharkhand, Pincode -826001
	Patna	Flat No - 201, Laxmi Palace, Mitra Compound Behind Alankar Palace, Boring Road, Patna - 800001
	Bhagalpur	Adampur Ghat Road, Adampur, Bhagalpur - 812001, Bihar
	Lucknow	C-1/355, Sector- H, LDA Colony, Aashiyana- Ground Floor, Lucknow - 226012
	Tollygunge	106, Golf Club Road, Ground Floor, Kolkata - 700033
	Baguihati	DC-115, Narayantala West, Baguihati, Near Bata Showroom, Suryakiran Appartment, Block-D, Flat No. - 101, Kolkata - 700059
	Barrackpore	17/5, Ghosh Para Road, Rainbow Apartment , Barrackpore, Near Railway Station, Kolkata - 700120
	Dunlop	95, Ashokgarh, Dunlop, Kolkata-700108
	Durgapur	10 No. Rani Rasmoni Path, Sail Co-operative, Non Company City Centre, Durgapur- 713216
	Howrah	223/3 Mohendra Bhattacharjee Road, P.O. - Santragachi, P.S. - Chatterjee Haat, Dist. Howrah - 711104
	Asansol	75/193, Opposite Chowa Lal School, Ram Bandhutala, Asansol-713303

ZONE	SERVICE CENTRE	ADDRESS
WEST	Indore	E-12/19, Sch No. 54, Behind Hotel Park, Vijay Nagar, Indore-452010
	Jabalpur	659/2, Near Raj Krirana Yadav Colony, Jabalpur
	Raipur	Panch Bangla, Sector - 3, Professor Colony, Near Sonkar Samaj School, Raipur, Chattisgarh - 492001
	Bhilai	7/1, Dakshin Gangotri, Supela Near Ghadi Chowk, Beside Dainik Bhaskar Old Office Bhilai - 490023, Chhattisgarh
	Bilaspur	D-4, Subhash Complex, Rajeev Gandhi Chowk, Jarhabhata, Bilaspur-495001
	Pune	Ganesh Chambers, 2nd Floor, Plot No - 35, CTS No- 14/2, 10/B Wakadewadi, Shivajinagar, Pune -411003
	Mumbai	613, Sixth Floor, Vihan Complex, Volbart Road Goregaon East-400063
	Vadodra	D-18, Shraddha Deep Society, Opp. Samrajay, Muj Mahuda Road, Vadodara-390020

ZONE	SERVICE CENTRE	ADDRESS
NORTH	Delhi	Magnum House 1, Office No. - 202, 2nd Floor, Karampura Commercial Complex, New Delhi-110015

ZONE	SERVICE CENTRE	ADDRESS
SOUTH	Hyderabad	Flat No. 403, Sai Teja Residency, Sathireddy Nagar Colony, Near Reddy Kirana Shop, New Mirjalguda Malkajgiri, Hyderabad - 500047
	Bangalore	No. 21 Misri Plaza, 10th Cross Road, Yalappa Garden, Malleshwaram, Bangalore - 560003
	Kerala	40/303 4B, K.P.R Building, 1st Floor, P.J. Antony Road, Palarivattom, Cochin - 682025
	Chennai	14/1, 1st Floor, Amman koilst,Vadapalani, Chennai - 600026

ZONE	SERVICE CENTRE	ADDRESS
NORTH-EAST	Dispur	Basistha Road, House No – 55, Rukmininagar Path , Dispur, Guwahati - 781006, Assam, N/R – Bhumidhar Barman House
	Tinsukia	Shiv Shakti Market, 2nd Floor, Near-Kumar Patti, Tinsukia, Pin - 786125
	Dibrugarh	Niranjan Villa, Ground Flore , House No.-67,Santoshi Maa Path, Chiring Chapori, Dibrugarh- 786001
	Ulubari	Rehana Mension, 2nd Floor, Ratan Dewan Road, Ulubari, Guwahati - 781007, Assam
	Bongaigaon	2nd Floor Of Kutchina, AOC Road, Near - Neer Hotel
	Tezpur	Holding No.-153, Dadhara Bamun Chuburi, Opp. Madrass Tyre, 1st Floor, Tezpur- 784001, Assam
	Jorhat	R.D Tower, Dagg No. -74, P.P. No. - 46, Block - 4, Jorhat Town, Assam, Pin-785001, N/R - Torajan puja Mandir
	Nagaon	KB Commercial Complex, Ground Floor, Mg Road, Kaye Patty, Opp. Jayshree Hall Nagaon, Assam -782001
	Silchar	Bidya Sagar Sarani, Sudipta Narsing Home Lane, Opposite Post Office, House No. - 05 L, P.O. - Rangirkhari, Silchar - 788005 , Assam
	Agartala	Takur Pally Road, Krishnanagar,P.O. - Agartala, State Tripura. Agartala-799001, N/R - Skylark Club

Authorised Service Centres

All authorised Kutchina Service Centres are directly managed by the Company so that there is no compromise in service and quality. We also have a dedicated Toll Free Number to assist all customers regarding any grievance across the country.

Toll Free: 1800 4197 333

Timings: Monday - Friday: 9.30 AM TO 6.00 PM
Saturday: 9.30 AM TO 3.00 PM | Sunday: Closed

Notes: _____

[illegible]



Kutchina Home Makers Pvt. Ltd.

Bajoria Tower - 20, Chinar Park, (Near New Town City Center 2), Kolkata - 700157

Toll-Free No.: 1800 4197 333

WhatsApp: +91 91471 05969, 91471 05962, 91471 05963, 75960 71320

www.kutchina.com

Bangalore | Delhi | Guwahati | Kolkata | Mumbai

www.kutchina.com | follow us on   [@kutchinaconnectofficial](https://www.facebook.com/kutchinaconnectofficial)

KITCHEN APPLIANCES | MODULAR KITCHEN | MODULAR WARDROBES | WATER HEALTHIFIERS | SMALL APPLIANCES